

BLANK PAGE



IS: 8195 - 1976

Indian Standard

SPECIFICATION FOR 4-NITRO CHLOROBENZENE

UDC 667'205'1:547'548



© Copyright 1976

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

November 1976

AMENDMENT NO. 1 MARCH 2002 TO IS 8195: 1976 SPECIFICATION FOR 4- NITRO CHLOROBENZENE

(Page 3, clause 0.2) — Insert CAS Registry No. (100-00-5) below the chemical structure.

[Page 4, Table 1, Sl No.(iv)] — Insert the following after Sl No. (iv):

(1)	(2)	(3)	(4)
v)	Matter insoluble in methanol, percent by mass, Max	0.2	when tested as per clause 11.3 of IS 5299 : 2001'

(PCD 11)

Reprography Unit, BIS, New Delhi, India

Indian Standard

SPECIFICATION FOR 4-NITRO CHLOROBENZENE

Dye Intermediates Sectional Committee, CDC 46

~	•	

Shri Rajendra Shankar

Members

SHEI M. S. TAWAKLAY (Alternate to

Shri Rajendra Shankar) SHRI P. B. BHATTACHARJER

SHRI B. M. BRAHME

DR M. M. DESHPANDE SHRI N. G. AMIN (Alternate)

SHRI JASTINDER SINGH

SHRI Y. R. MEHTA

SHEI N. C BARSHI (Alternate) DR P. N. PANDIT

SHRI H. K. VENKATARAMAIAH (Alternate)

DE R. J. RATHI

SHRIK L. RATHI (Alternate)

Shri Santokh Singh

SHRI KULWANT SINGH (Alternate)

DE H. A. SHAR

SHRIG. G SUTAONE (Alternate)

SHRI S. J. SHAH

SHRI M. B. MEHTA (Alternate)

DR D. R. SBIDHAB

DR R. N. DHAR (Alternate)

DB P. V. SUBRAMANIAM

SHRI MUKUND TUBAKHIA

SHBI ANIL MEHTA (Alternate)

Representing

Indian Dyestuff Industries Ltd, Bombay

Luxmi Narayan Dyestuff & Chemical Works Pvt

Ltd, Calcutta Atıc Industries Ltd, Bulsar

Suhrid Geigy Ltd, Vadodara

Directorate General of Technical Development,

Amar Dye-Chem Ltd, Bombay

Atul Products Ltd, Bulsar

I.C.I. (India) Pvt Ltd, Calcutta

Hindustan Organic Chemicals Ltd, Rasayani

(Maharashtra)

Sudarshan Chemical Industries Pvt Ltd, Pune

National Chemical Industries Pvt Ltd. New Delhi

Development Commissioner, Small Scale Industries, New Delhi

Indian Chemical Manufacturers' Association, Calcutta

Indian Drugs & Pharmaceuticals Ltd, New Delhi

Colour-Chem Ltd, Bombay

The Dyestuffs Manufacturers Association of India, Bombay

(Continued on page 2)

C Copyright 1976 INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

18:8195-1976

(Continued from page 1)

Members

Shri V. G. Upadhye Dr G. M. Saxena, Director (Chem)

Representing

Synthofine Chemicals of India Pvt Ltd, Bombay Director General, ISI (Ex-officio Member)

Secretary

Shbi Nabesh K. Sharma Deputy Director (Chem), ISI

Panel for Chloronitro Dye Intermediates, CDC 46: P 6

Convener

SHRI G. A. KULKABNI

Members

SHRIV. K ATRE SHBIM. V. DESAI

DB S. R. G. SABMA (Alternate)

DR P. N. PANDIT

Atul Products Ltd, Bulsar

Hindustan Organic Chemicals Ltd, Rasayani (Maharashtra)

SHRI H. K VENKATARAMAIAH (Alternate) National Chemical Industries Pvt Ltd, New Delhi

SHEI SANTOKH SINGH
SHEI KULBIR SINGH (Alternate)

DR P. V. SUBRAMANIAM

Colour-Chem Ltd, Bombay

Amar Dye-Chem Ltd, Bombay

Hickson & Dadajee Ltd, Bombay


Indian Standard

SPECIFICATION FOR 4-NITRO CHLOROBENZENE

O. FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 20 August 1976, after the draft finalized by the Dye Intermediates Sectional Committee had been approved by the Chemical Division Council.

0.2 4-Nitro chlorobenzene (C₆H₄O₂NCl), also known as p-nitro chlorobenzene is an important dye intermediate used in the manufacture of dyestuffs. It is represented by the following structural formula:



4-NITRO CHLOROBENZENE

(Molecular Mass 157.5)

0.3 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

^{*}Rules for rounding off numerical values (revised).

18:8195 - 1976

1. SCOPE

1.1 This standard prescribes the requirements and the methods of sampling and test for 4-nitro chlorobenzene.

2. REQUIREMENTS

- 2.1 Description The material shall be in the form of light yellow crystalline mass.
- 2.2 The material shall also comply with the requirements given in Table 1.

TABLE 1 REQUIREMENTS FOR 4-NITRO CHLOROBENZENE

SL No.	CHARACTERISTIC	REQUIREMENT	METHOD OF TEST, REF TO CL NO. IN APPENDIX A
(1)	(2)	(3)	(4)
i)	Crystallizing point, °C, Min	82 4	A-1
ii)	Assay, percent by mass, Min	99 0	A-2
iii)	Dinitro compounds, percent by mass, Max	0 2	A-2
iv)	2-Nitro chlorobenzene, percent by mass, Max	0 5	A-2

3. PACKING AND MARKING

- 3.1 Packing The material shall be packed in steel drums (see IS:2552-1970*) or as agreed to between the purchaser and the supplier. The containers shall be securely closed.
- 3.2 Marking Each container shall bear legibly and indelibly the following information:
 - a) Name of the material;
 - b) Name of the manufacturer and his recognized trade-mark, if any;
 - c) Batch number;
 - d) Tare, net mass and gross mass; and
 - e) The minimum cautionary notice worded as under:
 - 'BLOOD POISON. AVOID INHALING DUST. DANGER OF CYANOSIS.'

^{*}Specification for steel drums (galvanized and ungalvanized) (first revision).

3.2.1 The containers may also be marked with the ISI Certification Mark.

Note—The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder—The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard—Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution

4. SAMPLING

4.1 Representative samples of the material shall be drawn as prescribed in 3 of IS: 5299-1969*.

4.2 Number of Tests

- 4.2.1 Tests for crystallizing point and assay shall be conducted on each of the individual samples.
- 4.2.2 Tests for the remaining characteristics, namely, dinitro compounds and 2-nitro chlorobenzene, shall be conducted on the composite sample.

4.3 Criteria for Conformity

- 4.3.1 For Individual Samples The lot shall be declared as conforming to the requirements of crystallizing point and assay if each of the individual test results satisfies the relevant requirement given in Table 1.
- 4.3.2 For Composite Sample For declaring the conformity of the lot to the requirements of the characteristics tested on the composite sample (see 4.2.2) the test result for each of the characteristics shall satisfy the relevant requirement given in Table 1.

5. TEST METHODS

- 5.1 Tests shall be carried out according to the methods prescribed in Appendix A, as indicated in col 4 of Table 1.
- 5.2 Quality of Reagents Unless specified otherwise, pure chemicals and distilled water (see IS: 1070-1960†) shall be employed in tests.

Note — 'Pure chemicals' shall mean chemicals that do not contain impurities which affect the results of analysis.

^{*}Methods of sampling and tests for dye intermediates, †Specification for water, distilled quality (remsed)

APPENDIX A

(Table 1 and Clause 5.1)

METHODS OF TEST FOR 4-NITRO CHLOROBENZENE

A-1. CRYSTALLIZING POINT

A-1.1 Determine the crystallizing point of the material as prescribed in 7 of IS: 5299-1969*.

A-2. ASSAY, DINITRO COMPOUNDS AND 2-NITRO CHLORO-BENZENE

A-2.0 Outline of the Method — The contents of 2-, 3- and 4-nitro chlorobenzenes and 2, 4- and 2, 6- dinitro chlorobenzenes are determined by gas-chromatographic analysis.

A-2.1 Apparatus

- A-2.1.1 Gas Chromotograph with flame-ionization detector.
- A-2.1.2 Potentiometric Strip-Chart Recorder full scale deflection 1 second.
- 🛴 A-2.1.3 Temperature Programmer
- A-2.1.4 Column made of glass, 2 m long, 6 mm in diameter, and packed with 10 percent Apizon L on 72/85 mesh Celite† or an equivalent material.

A-2.2 Reagents

- A-2.2.1 2, 6-Dinitrotoluene -- internal standard for dinitro chlorobenzenes.
- **A-2.2.2** 3-Nitrotoluene internal standard for mononitro chlorobenzenes.
 - A-2.2.3 Chlorobenzene
 - A-2.2.4 2-Nitro chlorobenzene
 - A-2.2.5 3-Nitro chlorobenzene
 - A-2.2.6 4-Nitro chlorobenzene
 - A-2.2.7 2, 4-Dinitro chlorobenzene

^{*}Methods of sampling and tests for dye intermediates
†These are imported chemicals and are available with the fabricators of gas chromatographs and also with the stockists of chemicals.

A-2.2.8 2, 6-Dinitro chlorobenzene

A-2.2.9 Acetone - solvent.

A-2.3 Procedure

A-2.3.1 Operating Parameters of Gas Chromatograph

A-2.3.1.1 Injection temperature - 275°C.

A-2.3.1.2 Column temperature—140°C (isothermal) for mononitro chlorobenzenes and 160°C (programmed) for dinitro chlorobenzenes.

A-2.3.1.3 Carrier gas — nitrogen, 30 ml/min.

A-2.3.1.4 Chart speed — 5 mm/min.

A-2.3.2 Sample — Dissolve 10 g of the sample in acetone. Add a known mass of the internal standard and make up the volume to 100 ml with acetone. Inject 0.4 microlitre.

A-2.3.3 Calibration Factor — Internal standardization is the method used for calibration of the results of analysis. Make up and chromatograph known mixtures of component 'n' for which the calibration factor is to be determined together with the internal standard plus other components of the sample. The calibration is calculated by the following formula:

$$K_{\rm n} = \frac{X_{\rm n} \times A_{\rm s}}{X_{\rm s} \times A_{\rm n}}$$

where

 K_n = calibration factor for component 'n' against respective internal standard 's',

 $X_n = \text{mass percent of component 'n' in the sample,}$

 $A_s = \text{peak}$ area for respective internal standard 's',

 $X_s = \text{mass}$ percent for respective internal standard 's' in the sample, and

 $A_n = \text{peak area for component 'n'}.$

A-2.3.4 Interpretation of Chromatogram — Elution order of components is as follows:

- a) Acetone (solvent used),
- b) Chlorobenzene,
- c) 3-Nitrotoluene,
- d) Mononitro chlorobenzenes,
- e) 2, 6-Dinitrotoluene, and
- f) Dinitro chlorobenzenes.

Identification is done with the help of test mixtures.

IS: 8195 - 1976

A-2.4 Calculation

Component 'n' in the sample, $=\frac{K_n \times A_n \times X_s}{A_s}$

where

 $K_n = \text{calibration factor for component 'n' (see A-2.3.3)},$

 A_n = peak area for component 'n',

 $X_s = \text{mass percent of respective internal standard added to the sample, and}$

 $A_s = \text{peak area for respective internal standard.}$

PUBLICATIONS OF INDIAN STANDARDS INSTITUTION INDIAN STANDARDS

Over 8 500 Indian Standards covering various subjects have been issued so far. Of these, the standards belonging to the Chemical Group fall under the following categories:

Acids					
Adhesives					
Alcohols and allied products					
Alkalis					
Brushware					
Ceramicware, enamelware and labora- tory porcelain					
Chemical hazards and safety					
Chemicals, inorganic (miscellaneous)					
Chemicals, organic (miscellaneous)					
Coal and coke					
Coal carbonization products					
Coated fabrics					
Cosmetics and toilet goods					
Dental materials					
Drying olls					
Dye intermediates					
Electroplating chemicals					
Explosive and pyrotechnic materials					
Fertilizers					
Fillers, stoppers and putties					
Footwear					
Glass and glassware					
Industrial gases					
Inks and allied products					
Laboratory glasswere, thermometers and related apparatus					
Lac and lac products					
Leather, leather goods and leather dressings					

Linters and allied products Lubricants and related products Oil pastes Oils & fats, oleaginous seeds and fruits
Pointers' materials (miscellaneous)
Paper and its products
Paper and pulp board packaging materials
Perfumery materials, natural and synthetic
Potroleum and petroleum products Photographic chemicals Pigments and extenders Plastics Polishes Printing inks Ready mixed paints and enamels Rubber and rubber products Soaps and other surface active agents
Tanning materials and allied
products Thermal insulation materials Thinners and solvents Varnishes and lacquers Water and water freatment Water based paints Unclassified

OTHER PUBLICATIONS

- ISt Bulletin (Published Every I	Month)				
Single Copy	***	***	***	 Rs 4'0	
	4	***		 . Rs 36°	0 ()
Standards: Monthly Additions	S				
Single Copy				Re 0%	30
Annual Subscription				., Rs 3⁺ ⁽	
Annual Reports (from 1948-49	Onwards)		•••	Rs 2:00 to 6:0	00
ISI Handbook, 1975				Rs 30 '	Ō
Annual Subscription Standards: Monthly Additions Single Copy Annual Subscription Annual Reports (from 1948-49	s .		••	Rs 36' Re 0' Rs 3' Rs 2'00 to 6'	300

INDIAN STANDARDS INSTITUTION

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephone: 27 01 31 (20 lines)	Telegrams : Manaksanstha		
Regional Offices:		Telephone	
Western: Novelty Chambers, Grant Road Eastern: 5 Chowringhee Approach Southern: C. I. T. Campus, Adyar	BOMBAY 400007 CALCUTTA 700072 MADRAS 600020	37 97 29 23-08 02 41 24 42	
Branch Offices:			
'Pushpak', Nurmohamed Shaikh Marg, Khanpur'F' Block, Unity Bldg, Narasimharaja Square Ahimsa Bldg, SCO 82-83, Sector 17C 5-8-56/57 Nampaily Station Road 117/418 B Sarvodaya Nagar B.C.I. Bldg (3rd Floor), Gandhi Maidan East Hantex Bldg (2nd Floor), Rly Station Road	AHMADABAD 380001 BANGALORE 560002 CHANDIGARH 160017 HYDERABAD 500001 KANPUR 208005 PATNA 800004 TRIVANDRUM 695001	2 03 91 2 76 49 2 83 20 4 57 11 82 72 5 36 55 32 27	